



Aledade Data Exchange Specifications: Stand-alone Scheduling Feed

This document contains specifications for data exchange with Aledade, Inc. via custom flat files.

Version: 1.0

Last Updated: 01/04/2018

File Formatting Guidelines and Content Requirements

Format	Plain text "csv" with tab delimiters and no enclosures
Encoding	Plain text with UTF-8 character set
File Extension	.txt
File Name	Filename contains the following elements: 1) Your organization mnemonic: Consult your Aledade Contact for Value 2) A timestamp with precision to seconds in format "YYYYMMDDHHMMSS" Final filename matches the pattern: "appointment_{senderpneumonic}_YYYYMMDDHHMMSS.txt"
Delimiter	Pipes " "

Enclosures	None
Null Values	Represented as empty values between delimiters " "
Headers	Included as first row, matching the column headers exactly as they are represented in the file specification
Contents	All new, modified or deleted appointments since the previous file transmission
Backload	An initial file containing all scheduled appointments within the past 1 year and at any time in the future should be delivered before a the ongoing daily file is initiated.
Frequency	Files should be delivered at least every 24 hours.

Table of Contents

Data Set	File	Description
Admin	appointment	Providers data related to appointments scheduled for patients at a clinic, including demographics
	Codeset Reference	Terminologies used within files
	Change Log	Description of document changes over time



























































































































































































